

SPECIMEN



ACTIVE INGREDIENT:

Sodium Carbonate Peroxyhydrate......85.0% OTHER INGREDIENTS: 15.0%

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

EPA Reg. No. 68660-9-67690 FPL20190424

SePRO Corporation

11550 North Meridian Street, Suite 600 • Carmel, IN 46032, U.S.A.

	FIRST AID					
If in eyes	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.					
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.					
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.					
If swallowed	Call a poison control center or doctor immediately for treatment advice. Drink promptly large quantities of water. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.					
	HOTLINE NUMBER					

24 Hour emergency call 1-800-535-5053.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE

Causes irreversible eye damage and causes skin burns. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling this product. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. When prolonged or frequently repeated contact could occur, use chemically resistant gloves and full body clothing.

PHYSICAL AND CHEMICAL HAZARDS

Oxidizing agent. Contact with combustible materials may cause fire. Wet product decomposes exothermically and may cause combustion of organic materials. Pressure may increase due to decomposition in confined spaces or containers.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds. When applying PAK®27 to water bodies, avoid solid particles from falling on nearby ground where birds and feed may be present. Undissolved particles of sodium carbonate peroxyhydrate may be corrosive to beaks of birds.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of U.S. EPA. For additional information, refer to the product Material Safety Data Sheet.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its

For control of blue-green algae in lakes, ponds, drinking water reservoirs, irrigation, drainage and conveyance ditches, canals, laterals, estuaries, bayous, lagoons, water gardens and water features, impounded water and waste water, and aquaculture.

Apply 3.0 to 100 pounds per acre - foot (9.2 to 306.9 pounds/ million gallons) of water (equivalent to 0.3 to 10.2 ppm hydrogen peroxide) by broadcasting or use of amechanical spreader.

Note: Algae control is more easily achieved if treated soon after growth starts. Larger amounts of product may be needed to treat heavier blooms. As little as 2.5 pounds per acre - foot could be used for algaestatic treatment.

Water Treatment

MAXIMUM Dosage Rate by Volume

Gallons	250	500	750	1000	2000	10,000	100,000	325,851		
Dosage	1.2 oz (34g)	2.4 oz (68g)	3.5 oz (100g)	4.8 oz	9.5 oz	3 lbs.	30 lbs.	100 lbs.		
Acre-ft	1	9	15	30	60	75	100			
Dosage Lbs	100	900	1500	3000	6000	7500	10,000			

1 Lb = 454 grams (g)

1 Acre-foot = 325851 Gallons

Note: Decaying algae can deplete dissolved oxygen which can lead to fish kill, if excessive. Apply with 8 to 10 hours of daylight remaining. Do not reapply within 48 hours. If treating a large lake or heavy bloom, treat 1/3 to 1/2 of the area and wait 2 to 3 days before treating remainder of water. Consult with the State agency with primary responsibility for regulating pesticides before applying to public waters to determine if a permit is needed.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND **DISPOSAL**

STORAGE: Store in original, closed container in a dry location away from heat and out of direct sunlight. Keep away from combustible material. Do not return unused product to container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate, is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

50 lb Bags/Sacks: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty sack [bag] into application equipment. Then offer for recycling if available or dispose of empty sack [bag] in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

2000 lb Bulk Bag: Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available or dispose of liner in a sanitary landfill or by incineration, or if allowed by State and local authorities by burning. If burned stay out of smoke. If bulk bag is contaminated and cannot be reused, dispose of it in the manner required for its liner.

Plastic Containers (all sizes): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available and dispose of in sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

To the extent consistent with applicable law neither the manufacturer nor the seller makes any warranty, expressed or implied concerning the use of this product other than indicated on the label. To the extent consistent with applicable law buyer assumes risk of use of this material when such use is contrary to label instructions. Read and follow the label directions].

Manufactured for:

SePRO Corporation, 11550 N. Meridian St., Suite 600, Carmel, IN 46032 FPL20190424



11550 North Meridian Street, Suite 600 Carmel, IN 46032, U.S.A.