

Phoslock®

1092.55

Phosphate Sequestering Agent

Phosphorus Locking Technology



For use in aquatic systems to reduce phosphorus and improve water quality.

Keep Out of Reach of Children

In the case of emergency endangering health or the environment involving this product, have the package label with you and call **INFOTRAC** at **1-800-535-5053**.

PRECAUTION: Avoid ingestion, inhalation, contact with eyes and skin. Breathing dust may be irritating. For large volume applications, the use of a dust protection mask is recommended.

FIRST AID

- | | |
|-------------------------------|---|
| If on skin or clothing | <ul style="list-style-type: none">• Remove contaminated clothing.• Immediately rinse skin with water for 15 to 20 minutes.• Seek medical attention if skin irritation persists. |
| If in eyes | <ul style="list-style-type: none">• Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes.• Seek medical attention if eye irritation persists. |
| If inhaled | <ul style="list-style-type: none">• Immediately move to fresh air; if person is not breathing, call 911 or an ambulance, then give artificial respiration. |
| If swallowed | <ul style="list-style-type: none">• Do not induce vomiting unless instructed to do so by a doctor. |

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact **INFOTRAC** for emergency medical information: **1-800-535-5053**.

NSF/ANSI 60

Tested and certified against NSF/ANSI 60 by Water Quality Association (WQA). The maximum application rate is 80 ppm when applied to drinking water. The seal does not imply enhanced safety or efficacy.



STORAGE AND DISPOSAL

Do not contaminate food, feed or water by storage or disposal.

Storage: Store in original container and keep closed. Store in a dry place.

Container handling:

Non-refillable Container (non-rigid, any size): Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling if available. If recycling not available, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

For best results, distribute uniformly over the surface of the water body, or the area targeted for application, as an aqueous slurry. Under certain conditions Phoslock granules may also be applied directly to the water based on management objectives and site conditions. For applications to waters with alkalinity less than 20 ppm, lower application rates may be needed. For site specific rate and treatment recommendations, contact SePRO Corporation at 1-800-419-7779.

WARRANTY DISCLAIMER

SePRO Corporation warrants that this product conforms to the chemical description on the product label. Testing and research have also determined that this product is reasonably fit for the uses described on the product label. To the extent consistent with applicable law, SePRO Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty and any such warranties are expressly disclaimed.

MISUSE

Federal law prohibits the use of this product in a manner inconsistent with its label directions. To the extent consistent with applicable law, the buyer assumes responsibility for any adverse consequences if this product is not used according to its label directions. In no case shall SePRO Corporation be liable for any losses or damages resulting from the use, handling or application of this product in a manner inconsistent with its label.

For additional important labeling information regarding SePRO Corporation's *Terms and Conditions of Use, Inherent Risks of Use and Limitation of Remedies*, please visit <http://seprolabels.com/terms> or scan the image below.



Phoslock is a registered trademark of Phoslock Water Solutions Ltd.

Manufactured for: **SePRO Corporation**
11550 North Meridian Street, Suite 60
Carmel, IN 46032 U.S.A.

FPL20170412
169202



8 11055 01120 6

Net weight **55 pounds**