



# SAFETY DATA SHEET

## ProcellaCOR SC

### Section 1. Identification

**GHS product identifier** : ProcellaCOR SC

**Recommended use of the chemical and restrictions on use**

**Identified uses** : End use herbicide product

**EPA Registration No.** : 67690-79

**Supplier's details** : SePRO Corporation  
11550 North Meridian Street  
Suite 600  
Carmel, IN 46032 U.S.A.  
Tel: 317-580-8282  
Toll free: 1-800-419-7779  
Fax: 317-580-8290  
Monday - Friday, 8am to 5pm [E.S.T.](http://www.sepro.com)  
[www.sepro.com](http://www.sepro.com)

**Emergency telephone number (with hours of operation)** : **INFOTRAC - 24-hour service 1-800-535-5053**

The following recommendations for exposure controls and personal protection are intended for the manufacture, formulation and packaging of this product. For applications and/or use, consult the product label. The label directions supersede the text of this Safety Data Sheet for application and/or use.

### Section 2. Hazards identification

**Hazard classification:** This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

**Other hazards:** No data available.

### Section 3. Composition/information on ingredients

**Chemical nature:** This product is a mixture.

Component	CASRN	Concentration
Florpyrauxifen-benzyl	1390661-72-9	26.46%
Propylene glycol	57-55-6	6.0%
Balance	Not available	67.54%

## Section 4. First aid measures

### Description of first aid measures

- General advice:** First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### Indication of any immediate medical attention and special treatment needed

- Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

## Section 5. Fire-fighting measures

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Do not use direct water stream. May spread fire. General purpose synthetic foams (including AFFF type) or protein foams are preferred if available. Alcohol resistant foams (ATC type) may function.

**Unsuitable extinguishing media:** No data available.

### Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

**Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this SDS.

**Special protective**

**equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

## Section 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:**

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:**

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for**

**containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact SePRO Corporation for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

## Section 7. Handling and storage

**Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

## Section 8. Exposure controls/personal protection

**Control parameters:** Exposure limits are listed below, if they exist.

Component	Regulation	Type of Listing	Value/Notation
Propylene glycol	US WEEL	TWA	10 mg/m3

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

#### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields).

#### Skin protection

**Hand protection:** Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Wear clean, body-covering clothing.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

## Section 9. Physical and chemical properties

#### Appearance

<b>Physical State</b>	Liquid
<b>Color</b>	Tan
<b>Odor</b>	Solvent
<b>Odor Threshold</b>	No data available
<b>pH</b>	5.47 1% pH Electrode
<b>Melting point/range</b>	Not applicable
<b>Freezing point</b>	No data available
<b>Boiling point (760 mmHg)</b>	No data available
<b>Flash point</b>	closed cup > 100 °C (> 212 °F) Pensky-Martens Closed Cup ASTM D 93
<b>Evaporation Rate (Butyl Acetate =1)</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Relative Vapor Density (air = 1)</b>	No data available
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Kinematic Viscosity</b>	No data available
<b>Explosive properties</b>	No

**Oxidizing properties** No significant increase (> 5°C) in temperature.  
**Liquid Density** 1.1278 g/ml at 20 °C (68 °F) *Digital density meter*  
**Molecular weight** No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## Section 10. Stability and reactivity

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical stability:** Thermally stable at typical use temperatures.

**Possibility of hazardous reactions:** Polymerization will not occur.

**Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose.

**Incompatible materials:** None known.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen chloride. Hydrogen fluoride. Nitrogen oxides.

## Section 11. Toxicological information

*Toxicological information appears in this section when such data are available.*

### Acute toxicity

**Acute oral toxicity** Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.  
As product: LD50, Rat, female, > 5,000 mg/kg

**Acute dermal toxicity** Prolonged skin contact is unlikely to result in absorption of harmful amounts.  
As product: LD50, Rat, male and female, > 5,000 mg/kg

**Acute inhalation toxicity** No adverse effects are anticipated from single exposure to mist. Based on the available data, respiratory irritation was not observed.  
As product: LC50, Rat, male and female, 4 Hour, dust/mist, > 5.66 mg/l No deaths occurred at this concentration.

**Skin corrosion/irritation** Brief contact is essentially nonirritating to skin.

**Serious eye damage/eye irritation** May cause slight temporary eye irritation. Corneal injury is unlikely.

**Sensitization** Did not cause allergic skin reactions when tested in guinea pigs.  
For respiratory sensitization: No relevant data found.

### Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s): Based on available data, repeated exposures are not anticipated to cause significant adverse effects.  
For the minor component(s): In animals, effects have been reported on the following organs: Respiratory tract.

<b>Carcinogenicity</b>	For the active ingredient(s): Did not cause cancer in laboratory animals.
<b>Teratogenicity</b>	For the active ingredient(s): Did not cause birth defects or any other fetal effects in laboratory animals.
<b>Reproductive toxicity</b>	For the active ingredient(s): In animal studies, did not interfere with reproduction.
<b>Mutagenicity</b>	For the active ingredient(s): In vitro genetic toxicity studies were negative.
<b>Aspiration Hazard</b>	Based on physical properties, not likely to be an aspiration hazard.

## Section 12. Ecological information

*Ecotoxicological information appears in this section when such data is available.*

<b>Toxicity</b>	
<b>Acute toxicity to fish</b>	Material is practically non-toxic to fish on an acute basis (LC50 > 100 mg/L). The LC50 value is above the water solubility. As product: LC50, <i>Cyprinus carpio</i> (Carp), 96 Hour, > 1.92 mg/l, OECD Test Guideline 203
<b>Acute toxicity to aquatic invertebrates</b>	As product: EC50, <i>Daphnia magna</i> (Water flea), semi-static test, 48 Hour, > 80.0 mg/l, OECD Test Guideline 202 As product: EC50, eastern oyster ( <i>Crassostrea virginica</i> ), 96 Hour, > 1.08 mg/l
<b>Acute toxicity to algae/aquatic plants</b>	Based on information for component(s): Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).  For the active ingredient(s): ErC50, <i>Myriophyllum spicatum</i> , 14 d, 0.000154 mg/l  For the active ingredient(s): NOEC, <i>Myriophyllum spicatum</i> , 14 d, 0.0000095 mg/l  As product: ErC50, <i>Pseudokirchneriella subcapitata</i> (green algae), 72 Hour, > 1.88 mg/l, OECD Test Guideline 201
<b>Toxicity to Above Ground Organisms</b>	Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). oral LD50, <i>Colinus virginianus</i> (Bobwhite quail), > 2000mg/kg bodyweight.
<b>Persistence and degradability</b>	
<b><u>Florpyrauxifen-benzyl</u></b>	
<b>Biodegradability:</b>	Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability. 10-day Window: Fail
<b>Biodegradation:</b>	14.6 %
<b>Exposure time:</b>	29 d
<b>Method:</b>	OECD Test Guideline 301B
<b>Stability in Water (1/2-life)</b>	Hydrolysis, DT50, 913 d, pH 4, Half-life Temperature 25 °C Hydrolysis, DT50, 111 d, pH 7, Half-life Temperature 25 °C Hydrolysis, DT50, 1.3 d, pH 9, Half-life Temperature 25 °C

### Propylene glycol

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).  
10-day Window: Pass

**Biodegradation:** 81 %  
**Exposure time:** 28 d  
**Method:** OECD Test Guideline 301F or Equivalent  
10-day Window: Not applicable

**Biodegradation:** 96 %  
**Exposure time:** 64 d  
**Method:** OECD Test Guideline 306 or Equivalent

**Theoretical  
Oxygen Demand:** 1.68 mg/mg

**Chemical  
Oxygen Demand:** 1.53 mg/mg

#### **Biological oxygen demand (BOD)**

<b>Incubation Time</b>	<b>BOD</b>
5 d	69.0 %
10 d	70.0 %
20 d	86.0 %

**Photodegradation  
Atmospheric half-life:** 10 Hour  
**Method:** Estimated.

### Balance

**Biodegradability:** No relevant data found.

### **Bioaccumulative potential**

#### Florpyrauxifen-benzyl

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient:  
n-octanol/water(log Pow):** 5.5 at 20 °C

**Bioconcentration  
factor (BCF):** 356 *Lepomis macrochirus* (Bluegill sunfish) 30 d

#### Propylene glycol

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient:  
n-octanol/water(log Pow):** -1.07 Measured

**Bioconcentration  
factor (BCF):** 0.09 Estimated.

### Balance

**Bioaccumulation:** No relevant data found.

### **Mobility in soil**

#### Florpyrauxifen-benzyl

Expected to be relatively immobile in soil (Koc > 5000).  
**Partition coefficient (Koc):** 34200

## Propylene glycol

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** < 1 Estimated.

## Balance

No relevant data found.

## Section 13. Disposal considerations

### Disposal methods:

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## Section 14. Transport information

DOT Not regulated for transport

### Classification for SEA transport (IMO-IMDG):

<b>Proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s. (Florpyrauxifen-benzyl)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III
<b>Marine pollutant</b>	Florpyrauxifen-benzyl
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	Consult IMO regulations before transporting ocean bulk

### Classification for AIR transport (IATA/ICAO):

<b>Proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s. (Florpyrauxifen-benzyl)
<b>UN number</b>	UN 3082
<b>Class</b>	9
<b>Packing group</b>	III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## Section 15. Regulatory information

### OSHA Hazard

#### Communication Standard

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.



**Superfund Amendments and  
Reauthorization Act of 1986  
Title III (Emergency Planning  
and Community  
Right-to-Know Act of 1986)  
Sections 311 and 312**

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

**Superfund Amendments and  
Reauthorization Act of 1986  
Title III (Emergency Planning  
and Community  
Right-to-Know Act of 1986)  
Section 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Pennsylvania Worker and  
Community  
Right-To-Know Act:**

The following chemicals are listed because of the additional requirements of Pennsylvania law:

<b>Components</b>	<b>CASRN</b>
Propylene glycol	57-55-6

**California Proposition 65  
(Safe Drinking Water and  
Toxic Enforcement  
Act of 1986)**

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

WARNING: This product contains a chemical(s) known to the State of California to cause birth defects or other reproductive harm.

**United States TSCA  
Inventory (TSCA)**

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

## Section 16. Other information

**Hazard Rating System  
National Fire Protection Association (U.S.A.)**

**Health: 0    Flammability: 1    Instability: 0**

**Legend**

TWA	8-hr TWA
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

**History**

**Date of issue mm/dd/yyyy** : 03/05/2018

**Date of previous issue** : n/a

**Version** : 1.0

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.