



Conforms to HazCom 2012/United States

SDS

SePRO Total Pond - Emerge



# SAFETY DATA SHEET

## SePRO Total Pond – Emerge\*

### Section 1. Identification

**GHS product identifier** : SePRO Total Pond – Emerge\*

**Other means of identification** : Not available.

**EPA Registration No.** : 62719-324-67690

**Supplier's details** : SePRO Corporation  
11550 North Meridian Street  
Suite 600  
Carmel, IN 46032 U.S.A.  
Tel: 317-580-8282  
Toll free: 1-800-419-7779  
Fax: 317-580-8290  
Monday - Friday, 8am to 5pm [E.S.T.](#)  
[www.sepro.com](http://www.sepro.com)

**Emergency telephone number (with hours of operation)** : **INFOTRAC - 24-hour service 1-800-535-5053**

The following recommendations for exposure controls and personal protection are intended for the manufacture, formulation and packaging of this product. For applications and/or use, consult the product label. The label directions supersede the text of this Safety Data Sheet for application and/or use.

### Section 2. Hazards identification

**Hazard classification** This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

**Other hazards** No data available

### Section 3. Composition/information on ingredients

This product is a mixture.

Ingredient name	%	CAS number
Glyphosate IPA Salt	53.8	38641-94-0
Isopropylamine	1.0	75-31-0
Balance	45.2	Not Available

\*: SePRO Total Pond - Emerge is a trademark of SePRO Corporation

## Section 4. First aid measures

### Description of first aid measures

- Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- Ingestion:** No emergency medical treatment necessary.

### Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### Indication of any immediate medical attention and special treatment needed

- Notes to physician:** No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

## Section 5. Fire-fighting measures

**Suitable extinguishing media:** To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Straight or direct water streams may not be effective to extinguish fire. General purpose synthetic foams (including AFFF type) or protein foams are preferred if available. Alcohol resistant foams (ATC type) may function.

**Unsuitable extinguishing media:** no data available

### Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

**Unusual Fire and Explosion Hazards:** This material will not burn until the water has evaporated. Residue can burn. Container may vent and/or rupture due to fire. Electrically ground and bond all equipment. Flammable mixtures of this product are readily ignited even by static discharge. May produce flash fire. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas.



## SDS

## SePRO Total Pond - Emerge

Ignition and/or flash back may occur. Flammable mixtures may exist within the vapor space of containers at room temperature.

### Advice for firefighters

#### Fire Fighting Procedures:

Keep people away. Isolate fire and deny unnecessary entry. Stay upwind. Keep out of low areas where gases (fumes) can accumulate. Water may not be effective in extinguishing fire. Eliminate ignition sources. Move container from fire area if this is possible without hazard. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this SDS.

### Special protective

#### equipment for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Isolate area. Refer to section 7, Handling, for additional precautionary measures. Keep unnecessary and unprotected personnel from entering the area. Keep personnel out of low areas. No smoking in area. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Vapor explosion hazard. Keep out of sewers. For large spills, warn public of downwind explosion hazard. Check area with combustible gas detector before reentering area. Ground and bond all containers and handling equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

### Environmental precautions:

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

### Methods and materials for

#### containment and cleaning up:

Contain spilled material if possible. Pump with explosion-proof equipment. If available, use foam to smother or suppress. Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact SePRO Corporation for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

## Section 7. Handling and storage

### Precautions for safe handling:

Keep away from heat, sparks and flame. No smoking, open flames or sources of ignition in handling and storage area. Electrically bond and ground all containers and equipment before transfer or use of material. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. Never use air pressure for transferring product. Keep out of reach of children. Do not swallow. Avoid breathing vapor



## SDS

## SePRO Total Pond - Emerge

or mist. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Wash thoroughly after handling. Keep container closed.

**Conditions for safe storage:** Minimize sources of ignition, such as static build-up, heat, spark or flame. Keep container closed. Do not store in: Carbon steel. Galvanized containers. Steel. Flammable mixtures may exist within the vapor space of containers at room temperature. Store in a dry place. Store in original container. Do not store near food, foodstuffs, drugs or potable water supplies.

# Section 8. Exposure controls/personal protection

Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Isopropylamine	ACGIH	TWA	5 ppm
	ACGIH	STEL	10 ppm
	OSHA Z-1	TWA	12 mg/m <sup>3</sup> 5 ppm

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### Exposure controls

**Engineering controls:** Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.

### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields).

#### Skin protection

**Hand protection:** Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

**Other protection:** No precautions other than clean body-covering clothing should be needed.

**Respiratory protection:** Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

# Section 9. Physical and chemical properties

### Appearance

**Physical State** Liquid

**Color** Yellow

**Odor** Odorless

**Odor Threshold** No test data available

**pH** 4.6 1% *NAPM 11A.00* 1% aqueous solution

**Melting point/range** Not applicable

**Freezing point** No test data available

**Boiling point (760 mmHg)** 110 °C (230 °F)

**Flash point** Closed cup > 93 °C (>199 °F) *Setaflash Closed Cup ASTM D3828*  
*none below boiling point*

**Evaporation Rate (Butyl Acetate =1)** No test data available

\*: SePRO Total Pond - Emerge is a trademark of SePRO Corporation



<b>Flammability (solid, gas)</b>	Not applicable
<b>Lower explosion limit</b>	No test data available
<b>Upper lower explosion limit</b>	No test data available
<b>Vapor pressure</b>	No test data available
<b>Relative Vapor Density (air = 1)</b>	No test data available
<b>Relative Density (water = 1)</b>	1.2 at 22 °C (72 °F) / 4 °C Pyknometer
<b>Water solubility</b>	Soluble
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	None below 400 °C
<b>Decomposition temperature</b>	No test data available
<b>Dynamic Viscosity</b>	64.6 mPa.s at 20 °C (68 °F)
<b>Kinematic Viscosity</b>	53.4 mm <sup>2</sup> /s at 20 °C (68 °F)
<b>Explosive properties</b>	No <i>Koenen Apparatus</i>
<b>Oxidizing properties</b>	No data available
<b>Liquid Density</b>	1.20 g/cm <sup>3</sup> at 20 °C (68 °F) <i>Digital density meter</i>
<b>Molecular weight</b>	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## Section 10. Stability and reactivity

<b>Reactivity:</b>	No data available
<b>Chemical stability:</b>	Thermally stable at recommended temperatures and pressures.
<b>Possibility of hazardous reactions:</b>	Polymerization will not occur.
<b>Conditions to avoid:</b>	Active ingredient decomposes at elevated temperatures. Avoid static discharge.
<b>Incompatible materials:</b>	Heat produced by the reaction with water will cause vaporization. Flammable hydrogen may be generated from contact with metals such as:
<b>Hazardous decomposition products:</b>	Decomposition products depend upon temperature, air supply and the presence of other materials.

## Section 11. Toxicological information

*Toxicological information appears in this section when such data is available.*

<b>Acute toxicity</b>	
<b>Acute oral toxicity</b>	Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts. LD50, Rat, > 5,000 mg/kg
<b>Acute dermal toxicity</b>	Prolonged skin contact is unlikely to result in absorption of harmful amounts. LD50, Rabbit, > 5,000 mg/kg
<b>Acute inhalation toxicity</b>	Brief exposure (minutes) is not likely to cause adverse effects. LC50, Rat, 4 Hour, Aerosol, > 6.37 mg/L



<b>Skin corrosion/irritation</b>	Essentially nonirritating to skin.
<b>Serious eye damage/ eye irritation</b>	May cause slight temporary eye irritation. Corneal injury is unlikely.
<b>Sensitization</b>	Did not cause allergic skin reactions when tested in guinea pigs.
<b>Respiratory sensitization:</b>	No relevant data found.
<b>Specific Target Organ Systemic Toxicity (Single Exposure)</b>	Evaluation of available data suggests that this material is not an STOT-SE toxicant.
<b>Specific Target Organ Systemic Toxicity (Repeated Exposure)</b>	For similar material(s): Glyphosate. In animals, effects have been reported on the following organs: Liver.
<b>Carcinogenicity</b>	For similar material(s): Glyphosate. Did not cause cancer in laboratory animals.
<b>Teratogenicity</b>	For the active ingredient(s): Available data are inadequate for evaluation of potential to cause birth defects.
<b>Reproductive toxicity</b>	For the active ingredient(s): Available data are inadequate to determine effects on reproduction.
<b>Mutagenicity</b>	For the active ingredient(s): In vitro genetic toxicity studies were negative in some cases and positive in other cases. For similar material(s): Glyphosate. In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.
<b>Aspiration Hazard</b>	Based on physical properties, not likely to be an aspiration hazard.

## Section 12. Ecological information

*Ecotoxicological information appears in this section when such data is available.*

<b>Acute toxicity to fish</b>	Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 > 100 mg/L in the most sensitive species tested).  LC50, <i>Oncorhynchus mykiss</i> (rainbow trout), 96 Hour, > 2,500 mg/L, OECD Test Guideline 203 or Equivalent
<b>Acute toxicity to aquatic invertebrates</b>	EC50, <i>Daphnia magna</i> (Water flea), 48 Hour, 918 mg/L, OECD Test Guideline 202 or Equivalent
<b>Acute toxicity to algae/aquatic plants</b>	EC50, <i>Pseudokirchneriella subcapitata</i> (green algae), 72 Hour, Biomass, 10- 127 mg/L, OECD Test Guideline 201 or Equivalent
<b>Toxicity to Above Ground Organisms</b>	Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). oral LD50, <i>Colinus virginianus</i> (Bobwhite quail), > 2,000 mg/kg contact LD50, <i>Apis mellifera</i> (bees), > 100µg/bee



## SDS

## SePRO Total Pond - Emerge

oral LD50, *Apis mellifera* (bees), > 100µg/bee

### Persistence and degradability

#### Biodegradability:

Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions. For similar active ingredient(s). Biodegradation may occur under aerobic conditions (in the presence of oxygen).

### Bioaccumulative potential

#### Bioaccumulation:

For similar active ingredient(s). Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

### Mobility in soil

For similar active ingredient(s): Expected to be relatively immobile in soil (Koc > 5000).

## Section 13. Disposal considerations

### Disposal methods:

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## Section 14. Transport information

DOT Not regulated for transport

Classification for SEA transport (IMO-IMDG): Not regulated for transport

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO): Not regulated for transport

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## Section 15. Regulatory information

OSHA Hazard Communication Standard This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Superfund Amendments and Reauthorization Act of 1986



Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Chronic Health Hazard

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Components	CASRN
Isopropylamine	75-31-0

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

United States TSCA Inventory

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

Federal Insecticide, Fungicide and Rodenticide Act

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION  
Harmful if inhaled

\*: SePRO Total Pond - Emerge is a trademark of SePRO Corporation





## Section 16. Other information

### Hazard Rating System NFPA

Health: 1      Fire: 1      Reactivity: 0

### Legend

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
STEL	Short-term exposure limit
TWA	8-hour, time-weighted average

### History

**Date of issue:** 08/11/2015

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.